

Package: ShinyBlock (via r-universe)

June 12, 2026

Type Package

Title Multi-Protocol Blockchain Simulator and Enterprise Ledger Framework

Version 0.1.1

Maintainer Isaac Osei <ikemillar65@gmail.com>

Description An interactive framework for simulating blockchain protocols using a hybrid R-Shiny and Python architecture. The package provides tools to visualize peer-to-peer network maps, manage supply chain logistics on-chain, and execute cross-border settlements via smart contract logic. It leverages the 'reticulate' package to perform standardized cryptographic operations, including SHA-256 hashing, Merkle Tree construction, and ECDSA key generation. This tool is designed for pedagogical demonstration and rapid prototyping of distributed ledger requirements.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports shiny, reticulate, reactable, networkD3, bslib, jsonlite

Suggests testthat (>= 3.0.0), knitr, rmarkdown

SystemRequirements Python (>= 3.7), ecdsa (Python package)

VignetteBuilder knitr

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Config/testthat/edition 3

URL <https://github.com/ikemillar/ShinyBlock>

BugReports <https://github.com/ikemillar/ShinyBlock/issues>

Config/pak/sysreqs

cmake libglpk-dev make libicu-dev libpng-dev libuv1-dev libxml2-dev python3 zlib1g-dev

Repository <https://ikemillar.r-universe.dev>

Date/Publication 2026-05-24 07:05:49 UTC

RemoteUrl <https://github.com/ikemillar/shinyblock>

RemoteRef HEAD

RemoteSha eda07371630f5a633d13f8aa9e41f08ec9b62c3f

Contents

install_blockchain_deps	2
launch_blockchain	2

Index	3
--------------	----------

install_blockchain_deps
Install Python Dependencies

Description

Creates a virtual environment and installs ecdsa for blockchain simulation.

Usage

```
install_blockchain_deps()
```

launch_blockchain *Launch the Blockchain Protocol Simulator*

Description

This function launches the Shiny dashboard which communicates with a Python-based cryptographic engine to simulate 15 blockchain requirements.

Usage

```
launch_blockchain()
```

Index

`install_blockchain_deps`, [2](#)

`launch_blockchain`, [2](#)